	· · · · · · · · · · · · · · · · · · ·	Y		
L	Hits	Search Text	DB	Time stamp
Number				_
-	621	(product with well) same ((collect\$3 or	USPAT;	2003/10/08
		receiv\$3) with (data or parameter))	US-PGPUB	12:48
_	189	(product with well) with ((collect\$3 or	USPAT;	2003/04/13
	103		1	•
	1	receiv\$3) with (data or parameter))	US-PGPUB	15:36
-	0	((product with well) with ((collect\$3 or	USPAT;	2003/04/13
		receiv\$3) with (data or parameter))) and	US-PGPUB	15:33 .
		((report\$4 with product\$3 with data) same		1
		computer same wire\$4)		
-	10	((product with well) with ((collect\$3 or	USPAT;	2003/04/13
		receiv\$3) with (data or parameter))) and	US-PGPUB	15:34
		(report\$4 with product\$3 with data) and	05 10101	15.54
		computer and wire\$4		
1_	6			0000 (0.4 (0.0
	0	(((product with well) with ((collect\$3 or	USPAT;	2003/04/13
1		receiv\$3) with (data or parameter))) and	US-PGPUB	15:34
		(report\$4 with product\$3 with data) and		
		computer and wire\$4) and acquisition		
-	9	(product adj1 well) with ((collect\$3 or	USPAT;	2003/04/13
		receiv\$3) with (data or parameter))	US-PGPUB	15:40
-	ا و	(product adj well) with ((collect\$3 or	USPAT;	2003/04/13
		receiv\$3) with (data or parameter))	US-PGPUB	15:40
l _	1			1
	1 -	(data near5 acquistion near5 system) and	USPAT;	2003/04/13
	[(product with well) and ((collect\$3 or	US-PGPUB	15:52
	_	receiv\$3) with (data or parameter))		
-	5	(data near5 acquistion near5 system) and	USPAT;	2003/10/08
		(product with data) and ((collect\$3 or	US-PGPUB	13:20
		receiv\$3) with (data or parameter))		
-	l ol	(data near5 acquistion near5 system) and	USPAT;	2003/04/13
		(product with good) and ((collect\$3 or	US-PGPUB	15:59
		receiv\$3) with (data or parameter))	05 10105	13.35
i _	l · ol	(data near5 acquistion near5 system) and	TICDAM.	2002/04/12
	١		USPAT;	2003/04/13
		(product with data) and ((collect\$3 or	US-PGPUB	16:00
		receiv\$3) with (data or parameter)) and		
ļ		analyz\$4 and (real adj time)		
-	5	(data near5 acquistion near5 system) and	USPAT;	2003/04/13
i		(product with data) and ((collect\$3 or	US-PGPUB	16:03
		receiv\$3) with (data or parameter))		i i
_	l ol	(data near5 acquistion near5 system) and	USPAT;	2003/04/13
		(well with product with equipment) and	US-PGPUB	16:04
		((collect\$3 or receiv\$3) with (data or	05 10105	10.04
		parameter))		
_	ا ہا		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1 2002 (04 (22
-	0	(data near5 acquistion) and (well with	USPAT;	2003/04/13
		product with equipment) and ((collect\$3	US-PGPUB	16:04
		or receiv\$3) with (data or parameter))		.
-	152	(well with product with equipment) and	USPAT;	2003/04/13
		((collect\$3 or receiv\$3) with (data or	US-PGPUB	16:05
		parameter))		
_	8	((well with product with equipment) and	USPAT;	2003/04/13
		((collect\$3 or receiv\$3) with (data or	US-PGPUB	17:19
		parameter))) and (report\$4 with	35 10105	- 1 - 2 -
		paramoter// / and (reported write		
		product\$3 with data) and computer		
-	1	(data near5 collection) and (product	USPAT;	2003/04/13
	.	near2 well near2 equipment)	US-PGPUB	16:51
-	3	(and output and	USPAT;	2003/04/13
'		computer and (production with equipment)	US-PGPUB	16:34
		and (PSTN or (public with switch with		
		telephone with network))		
-	5	(data near5 collection) and (product	USPAT;	2003/04/13
		near2 sensor) and (report\$3 with product	US-PGPUB	16:55
		with data)	OD EGEOD	10.55
1_	101		HCDAM -	2002/04/22
-	191	(well with product with equipment) and	USPAT;	2003/04/13
		((collect\$3 or receiv\$3or obtain\$3) with	US-PGPUB	17:16
		(data or parameter))	•	
-	0	((well with product with equipment) and	USPAT;	2003/04/13
		((collect\$3 or receiv\$3or obtain\$3) with	US-PGPUB	17:17
		(data or parameter))) and (production]
		near2 sensor) and control\$3		
L	<u> </u>	30 00		

			_	
-	0	((well with product with equipment) and	USPAT;	2003/04/13
		((collect\$3 or receiv\$3or obtain\$3) with	US-PGPUB	17:17
		(data or parameter))) and (production		
		near2 sensor)		l
-	0	((well with product with equipment) and	USPAT;	2003/04/13
	1	((collect\$3 or receiv\$3or obtain\$3) with	US-PGPUB	17:18
]	(data or parameter))) and (display\$3	1	
		with production with data)		
-	0	((well with product with equipment) and	USPAT;	2003/04/13
		((collect\$3 or receiv\$3) with (data or	US-PGPUB	17:19
		parameter))) and (report\$4 with		
		product\$3 with data) and computer and		
		(display\$3 with production with data)		
-	4325	(product with data) and ((collect\$3 or	USPAT;	2003/04/13
		receiv\$3) with (data or parameter)) and	US-PGPUB	17:33
		(display with graph\$5)		
-	447	((product with data) and ((collect\$3 or	USPAT;	2003/04/13
	1	receiv\$3) with (data or parameter)) and	US-PGPUB	17:33
		(display with graph\$5)) and (data with		
		download)		
-	198	(((product with data) and ((collect\$3	USPAT;	2003/04/13
		or receiv\$3) with (data or parameter))	US-PGPUB	17:34
ŀ		and (display with graph\$5)) and (data		
		with download)) and analog		0000/01/15
-	16	((((product with data) and ((collect\$3	USPAT;	2003/04/13
		or receiv\$3) with (data or parameter))	US-PGPUB	17:38
		and (display with graph\$5)) and (data		
	-	with download)) and analog) and RS232	11055	2002/04/22
-	1		USPAT;	2003/04/13
		same report\$3 same (product\$3 with data)	US-PGPUB	17:41
_	1	same (data with collection with device) analysis same collect\$3 same report\$3	IICDAT.	2002/04/12
-		same (product\$3 with data) same (data	USPAT; US-PGPUB	2003/04/13
		with collection with device)	US-FGFUB	1/:42
_	18	collect\$3 same report\$3 same (product\$3	USPAT;	2003/04/13
		with data) same (data with collection	US-PGPUB	17:43
		with device)	32 23200	1,130
-	13	(collect\$3 same report\$3 same (product\$3	USPAT;	2003/04/13
		with data) same (data with collection	US-PGPUB	17:43
		with device)) and software and analy\$5		
-	12	((collect\$3 same report\$3 same (product\$3	USPAT;	2003/04/13
		with data) same (data with collection	US-PGPUB	20:24
		with device)) and software and analy\$5)		
		and display\$3		
-	7	("3905023" "4718025" "4759123"	USPAT	2003/04/13
1	j	"5230065" "5402349" "5430836"		17:46
		"5455945").PN.		
-	4932	(702/\$.ccls. or 700/\$.ccls. or	USPAT;	2003/04/13
		235/\$.ccls. or 707/\$.ccls.) and (product	US-PGPUB	20:13
		with data) and ((collect\$3 or receiv\$3)		
		with (data or parameter))		
-	141	((702/\$.ccls. or 700/\$.ccls. or	USPAT;	2003/04/13
.		235/\$.ccls. or 707/\$.ccls.) and (product	US-PGPUB	20:26
·		with data) and ((collect\$3 or receiv\$3)		
		with (data or parameter))) and (data with		
		collection with device) and software and		
		analy\$5 and display\$3		2002/04/22
-	95	(((702/\$.cclsor 700/\$.cclsor	USPAT;	2003/04/13
		235/\$.ccls. or 707/\$.ccls.) and (product	US-PGPUB	20:28
		with data and ((collect\$3 or receiv\$3)		•
		with (data or parameter))) and (data with		
		collection with device) and software and		
_	21	analy\$5 and display\$3) and management ((((702/\$.ccls. or 700/\$.ccls. or	HEDAT.	2003/04/13
[]	21	((((702/\$.ccis. or 700/\$.ccis. or 235/\$.ccis. or 707/\$.ccis.) and (product	USPAT; US-PGPUB	20:28
		with data) and ((collect\$3 or receiv\$3)	05 FGF0B	20.20
		with (data or parameter))) and (data with		
		collection with device) and software and		
		analy\$5 and display\$3) and management)		
		and (report\$3 with product\$3)		
		,	·	

-	8	((oil or gas) with product with well)	USPAT;	2003/10/08
		same ((collect\$3 or receiv\$3) with (data	US-PGPUB	13:18
		or parameter))		
-	0	(((oil or gas) with product with well)	USPAT;	2003/10/08
		same ((collect\$3 or receiv\$3) with (data or parameter))) and (load\$3 with	US-PGPUB	12:53
1	1	product\$3 with data)		
_	0	(((oil or gas) with product with well)	USPAT;	2003/10/08
		same ((collect\$3 or receiv\$3) with (data	US-PGPUB	12:53
	•	or parameter))) and (upload\$3 with	** ******	12.00
		product\$3 with data)		
-	2	(((oil or gas) with product with well)	USPAT;	2003/10/08
		same ((collect\$3 or receiv\$3) with (data	US-PGPUB	12:53
		or parameter))) and (product\$3 with		
	10	equipment)	HCDAM.	2002/10/00
-	10	((oil or gas) with product with equipment) same ((collect\$3 or receiv\$3)	USPAT; US-PGPUB	2003/10/08 13:27
		with (data or parameter))	03-FGF0B	13.27
_	8	(((oil or gas) with product with	USPAT;	2003/10/08
		equipment) same ((collect\$3 or receiv\$3)	US-PGPUB	13:19
		with (data or parameter))) and (database		
		or source)		
-	1	09/901894	USPAT;	2003/10/08
	1	1,,,,	US-PGPUB	13:20
-	12	((oil or gas) with product\$3 with equipment) and (collect\$3 with (data or	USPAT; US-PGPUB	2003/10/08
		parameter)) and (collect;3 with (data or parameter)) and (adjust;5 with product;3	05-26208	13:31
		with equipment)		
-	10	(((oil or gas) with product\$3 with	USPAT;	2003/10/08
		equipment) and (collect\$3 with (data or	US-PGPUB	14:58
		parameter)) and (adjust\$5 with product\$3		
		with equipment)) and (condition with		
		equipment)		2002/12/22
=	8	((well with pressure with sensor) or	USPAT;	2003/10/08
		(motor with ampere with sensor) or (flow with line with pressure with sensor) or	US-PGPUB	15:06
		switch or (hydraulic with input)) and		
		(product\$3 with equipment with sensor)		
		and (pump\$3 with equipment) and		
		((collect\$3 or receiv\$3) with (data or		
1		parameter))		
-	5	(((well with pressure with sensor) or	USPAT;	2003/10/08
		(motor with ampere with sensor) or (flow	US-PGPUB	15:14
		with line with pressure with sensor) or	•	
1		switch or (hydraulic with input)) and (product\$3 with equipment with sensor)		
	}	and (pump\$3 with equipment) and		
		((collect\$3 or receiv\$3) with (data or		
		parameter))) and (oil or gas)		
-	5	((((well with pressure with sensor) or	USPAT;	2003/10/08
		(motor with ampere with sensor) or (flow	US-PGPUB	18:36
		with line with pressure with sensor) or		
		switch or (hydraulic with input)) and (product\$3 with equipment with sensor)		
		and (pump\$3 with equipment) and		
		((collect\$3 or receiv\$3) with (data or		
		parameter))) and (oil or gas)) and well		
-	5	(oil or gas) with well with production	USPAT;	2003/10/08
		with database	US-PGPUB	18:28
-	5	((oil or gas) with well with production	USPAT;	2003/10/09
		with database) and ((collect\$3 or receiv\$3) with (data or parameter)) and	US-PGPUB	09:46
		(oil or gas) and well		
-	5	("1722679" "1884859" "2193219"	USPAT	2003/10/09
		"2989294" "4165903").PN.		09:37
-	0	(("1722679" "1884859" "2193219"	USPAT;	2003/10/09
		"2989294" "4165903").PN.) and database	US-PGPUB	09:37
-	1	((oil or gas) near5 well near5 production	USPAT;	2003/10/09
		near5 database) and ((collect\$3 or	US-PGPUB	09:50
		receiv\$3) with (data or parameter)) and (oil or gas) and well		
		TOTT OF GOS, SING WELL	L	<u> </u>

-	0	((oil or gas) near5 well near5 production	USPAT;	2003/10/09
		near5 database) and (collect\$3 or	US-PGPUB	09:50
		receiv\$3) and control\$5	İ	
-	1	((oil or gas) near5 well near5 production	USPAT;	2003/10/09
		near5 database) and (collect\$3 or	US-PGPUB	09:51
		receiv\$3)		: